














**16. Cross Sectionals of Consentable Activities**

	<p><b>Piped Culvert</b> (including extension and removal of) <b>Consent Required</b></p>	<p>Under Section 23 1(b)</p>
	<p><b>Oversized Box Culvert</b> (including extension and removal of)- <b>Consent Required</b></p>	<p>Under Section 23 1(b).</p>
	<p><b>Trash Screens</b> as it is an alteration to a culvert and has the potential to obstruct flow. <b>Consent Required</b></p>	<p>---</p>
	<p><b>Minimal Bank Protection Works</b> (Temporary works may require consent). Not Consentable Engineered banks/slopes <b>Consent Required</b></p>	<p>Under LDA 91</p>
	<p><b>Pipe Crossing</b> (in channel) <b>Consent Required but likely no consent will be given</b></p>	<p>Under Section 23 1(a)</p>
	<p><b>Pipe Crossing</b> (above bank) as it does not interfere with flow. Not Consentable if well above flood plain level 1/100 otherwise <b>Consent Required</b></p>	<p>Under LDA 91</p>
	<p><b>Pipe Crossing</b> (below bed) as it does not interfere with flow – Potential temporary works consent. Not Consentable if mole ploud. <b>Open excavation Consent required</b></p>	<p>Under LDA 91</p>
	<p><b>Outfall within Bank profile –</b> as it does not interfere with flow – Potential temporary works consent. <b>Consent Required</b></p>	<p>Under LDA 91</p>
	<p><b>Weir/Dam</b> or impoundment or temporary works that obstruct flow <b>Consent Required</b></p>	<p>Under Section 23 1(a)</p>
	<p><b>Bridge</b> (where soffit level is below bank top level) if it has the potential to affect flow. <b>Consent Required</b></p>	<p>Under Section 23 1(a)</p>
	<p><b>Bridge</b> (abutments protruding but not reducing flow area/width) <b>Consent Required</b> for Temporary works.</p>	<p>Under LDA 91</p>
	<p><b>Bridge</b> (Abutments restricting flow) or Flume <b>Consent Required</b></p>	<p>Under Section 23 1(b)</p>
	<p><b>Clear span bridge</b> Out with flood plain 1/100 Not Consentable</p>	<p>---</p>